

## PDM FAMILY MULTI BUMP & DOCKING STATION



The WatchGas PDM Family Bump & Docking Station keeps the monitor correctly configured and tested and fully functional. Bump testing portable monitors is becoming more and more prevalent in the market. Ensuring sensors are responding to a known concentration of gas remains the best way to verify the monitor has not become impeded.

### KEY FEATURE

- User friendly single button operation
- Efficient because of wide operating temperature range
- Easy to transport
- Battery powered
- Automatic log storage

WatchGas PDM Family Multi Bump & Docking Station provides bump testing, event management and calibration from a simple to use multi-unit station and gives fleet or safety managers the ability to update configurations on large fleets. It also maintains the all important event logs that demonstrates users are working within company requirements. The PDM and PDM+ can be calibrated or bump tested manually. The Docking Station will automatically calibrate four devices simultaneously (up to 12 devices per minute), which reduces downtime and gas consumption.

## DEVICE SPECIFICATIONS

<b>Dimensions</b>	47cm (L) x 41cm (W) x 22cm (D)
<b>Weight (without gas bottle)</b>	8.2kg
<b>Operating temperature</b>	+5°C to +40°C
<b>Guarantee</b>	Full 2 years
<b>Battery/rechargeable battery</b>	Rechargeable lithium-ion battery
<b>Battery capacity</b>	1000 bump tests
<b>LEDs</b>	5 red/green/orange LEDs (1 for each unit, 1 for power)
<b>Data storage</b>	USB 8GB (standard)
<b>Storage capacity</b>	Approximately up to 5 million tests (removable 8GB USB stick)
<b>Test options</b>	Bump tests and calibrations
<b>Information storage</b>	Automatically stores bump test/calibration logs, individual device event logs, firmware and unit configurations
<b>Available gases</b>	CO, H <sub>2</sub> S, O <sub>2</sub> , NH <sub>3</sub> , SO <sub>2</sub> and H <sub>2</sub> Please contact your WatchGas dealer for available calibration gases.
<b>Device compatibility</b>	WatchGas PDM and PDM+
<b>Calibration gas bottles</b>	Compatible with 36cm gas cylinders
<b>Charging adapter</b>	12V, 3A

## ORDER INFORMATION

Article name	Art.-Nr.
PDM Family Multi Bump & Docking Station	7189179
PDM Family Mono Bump & Docking Station <b>Only in combination with a demand flow controller</b>	7189172 <b>A0177744</b>

## ACCESORIES



IR-Link



calibrationgasses



Find out about  
the complete  
PDM family on the  
WatchGas website!

## FOR MORE (ORDER) INFORMATION

[www.watchgas.com](http://www.watchgas.com) | [info@watchgas.com](mailto:info@watchgas.com)

Distributed by

©2024 WatchGas B.V.

WatchGas is dedicated to continuously improving its products. Therefore, the specifications and features mentioned in this datasheet are subject to change without prior notice.